

Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS



Guestroom Window Treatments (PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend past window 12" on each side. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, center draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Delize / Domino 2

C----- ¾" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, center draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-400

Scale: NTS



Guestroom Window Treatments (PTAC)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS



Guestroom Window Treatments (No PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be ¼" AFF.



Date: February 14, 2024



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend past window 12" on each side. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, center draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Delize / Domino

C----- ¾" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, center draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Dusk Select / SW7074

E----- Window & Frame, by others

Window Treatment Elevation + Section View

Specification # (B) GR-400

Scale: NTS



Guestroom Window Treatments (No PTAC)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be ¼" AFF.



Date: February 14, 2024



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend 6" past window on one side and 12" on side where drapery stacks. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, one-way draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to 1/4" above PTAC Unit. Pattern: Lomani / Niebla Azul

C----- 3/8" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, one-way draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to 1/4" above PTAC. Pattern: Dusk Select / SW9141 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (A) GR-450

Scale: NTS



Guestroom Window Treatments (One-way)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend 6" past window on one side and 12" on side where drapery stacks. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, one-way draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Delize / Domino 2

C----- ¾" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, one-way draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-450

Scale: NTS



Guestroom Window Treatments (One-way)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MA

Scale: NTS



ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend past window 12" on each side. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, center draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Delize / Domino

C----- Clear ADA **baton** with loop, 60" long. ½" with 4" loop - top of loop must be no higher than 48" AFF.

D----- Traversing **blackout** drapery, center draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to ¼" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MA

Scale: NTS



ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.






Date: February 14, 2024




Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MA

Scale: NTS




 ADA Guestroom Window Treatments (Manual. One-way) Hampton Inn - Scenic Scheme 	<p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p> <p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr style="border-top: 1px dashed black;"/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		




Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MA

Scale: NTS

 ADA Guestroom Window Treatments (Manual. One-way) Hampton Inn - Kinetic Scheme 	<p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p> <p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MO

Scale: NTS



ADA Guestroom Window Treatments (Motorized)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: February 14, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MO

Scale: NTS



ADA Guestroom Window Treatments (Motorized)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.






Date: February 14, 2024




Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MO

Scale: NTS




 ADA Guestroom Window Treatments (Motorized. One Way) Hampton Inn - Scenic Scheme 	<p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p> <p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		




Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MO

Scale: NTS




 ADA Guestroom Window Treatments (Motorized. One Way) Hampton Inn - Kinetic Scheme 	<p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p> <p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p>	 <p>Date: February 14, 2024</p>
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr style="border-top: 1px dashed black;"/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		




Window Treatment Elevation + Section View

Specification # (A&B) PA-400

Scale: NTS




 <p>FOH Window Treatments Lobby/ Dining Area - Scenic & Kinetic Schemes</p> 	<p>**All physical finish samples must be approved by Hilton A, D & C.</p>	 <p>Date: February 14, 2024</p>
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		




Window Treatment Elevation + Section View

Specification # (A&B) PA-401

Scale: NTS

 <p>BOH & Breakroom Window Treatments Back of House (BOH) - Scenic & Kinetic Schemes</p> 	<p>**All physical finish samples must be approved by Hilton A, D & C.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>	<p>Date: February 14, 2024</p>	



Hampton Inn

KINETIC SCHEME

SCENIC SCHEME

PA-400 & PA-401


Public Areas: Lobby/Dining & Back of House

Specifications:

Pattern Name:	Salvador
Color Name:	Gray
Fabric Content:	100% Polyester
Fabric Width:	110"
Repeat:	0.00"H & 0.00"V
Country of Origin:	China
Fire Rating:	Pass NFPA 701
Fabric Construction:	Sheer
Fabric Care:	Water or Solvent-based Spot Clean

**All physical finish samples must be approved by Hilton A, D & C.




February 14, 2024




Window Treatment Elevation + Section View

Specification # (A) PA-402

Scale: NTS

 <p>Optional Window Treatments Alternate Meeting Room - Scenic Schemes</p> 	<p>NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p>	 <p>Date: February 14, 2024</p>
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		






- A**----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend past window 12" on each side. Color: SW7009 Pearly White, satin finish.
- B**----- Traversing **blackout** drapery, center draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to 1/2" AFF. Pattern: Dusk Select / SW7074 (COM)
- C**----- 1/2" clear ADA **baton**, 48" long with 4" loop - top of loop must be no higher than 48" AFF.
- D**----- Traversing **sheer** drapery, center draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to 1/2" AFF. Pattern: Delize / Domino 2
- E**----- Window & Frame, by others

Window Treatment Elevation + Section View

Specification # (B) PA-402

Scale: NTS

 <p>Optional Window Treatments Alternate Meeting Room - Kinetic Schemes</p> 	<p>NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.</p> <p>**All finish approvals dependent on Hilton-reviewed physical samples.</p>	 <p>Date: February 14, 2024</p>
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		